

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 004440	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED C 03/13/2015
NAME OF PROVIDER OR SUPPLIER CHANDLER PLACE		STREET ADDRESS, CITY, STATE, ZIP CODE 2879 S LIMA RD KENDALLVILLE, IN 46755		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
R 000	<p>INITIAL COMMENTS</p> <p>This visit was for a State Residential Licensure Survey.</p> <p>This visit included the Investigation of Complaint IN00169176.</p> <p>Complaint IN00169176 - Substantiated. No deficiencies related to the allegation are cited.</p> <p>Survey dates: March 12 & 13, 2015</p> <p>Facility number: 004440 Provider number: 004440 AIM number: N/A</p> <p>Survey team: Rick Blain, RN - TC Tim Long, RN</p> <p>Census bed type: Residential: 33 Total: 33</p> <p>Census payor type: Other: 33 Total: 33</p> <p>Sample: 7</p> <p>Chandler Place was found to be in compliance with 410 IAC 16.2-5 in regard to the State Residential Licensure Survey and the Investigation of Complaint IN00169176.</p> <p>Quality Review 03/13/15 by Lisa McColly</p>	R 000		

Indiana State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE